

NO. 71292

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

NEW PRIORITY DATE:

Date of filing in State Engineer's Office JUN 04 2004 DEC 14 2009

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 04 2004

The applicant **Jeff Sellinger** hereby makes application for permission to change the **Point of Diversion and place of use of a portion** of water heretofore appropriated under **Permit 15032 (Cert. 8712)**

1. The source of water is **Underground Source**
2. The amount of water to be changed **one acre foot 0.00168 C.F.S.**
3. The water to be used for **Quasi-Municipal purposes**
4. The water heretofore permitted for **Quasi-Municipal purposes**
5. The water is to be diverted at the following point **within the Northeast Quarter (NE¼) of the Northwest Quarter (NW¼) of Section 36, T21S, R60E, MDM, or at a point from which the North One-Quarter Corner of said Section 36, T21S, R60E, MDM, bears North 39° 28' 36" East a distance of 1232.24 feet.**
6. The existing permitted point of diversion is located within **The Northeast Quarter (NE¼) of the Northeast Quarter (NE¼) of Section 9, T21S, R61E, MDM, or at a point from which the Northeast Corner of said Section 9, T21S, R61E, MDM, bears North 22° 48' 00" East a distance of 945.34 feet (Record Well Tie)**
7. Proposed place of use **Lot 3 of Parcel Maps File 79, Page 59 being a portion of the NE4 SW4 NE4 NW4 Sec. 36, T21S, R60E, MDM. APN #163-36-106-011.**
8. Existing place of use **Portion of the NE4 NE4 Section 9 and a portion of the NW4 NW4 Section 10, T21S, R61E, MDM**
9. Use will be from **January 1st. to December 31st. of each year.**
10. Use was permitted from **January 1st. to December 31st. of each year.**
11. Description of proposed works **well is complete and metered under permit 57449**
12. Estimated cost of works **None**
13. Estimated time required to construct works **NOne, existing steel cased well and distribution system.**
14. Estimated time required to complete the application of water to beneficial use **3 Years**

15. Remarks **Water to be used for existing residence and landscaping.**

By Jeff Sellinger
s/ Jeff Sellinger
Agent: Fulstone Enterprises
940 S. Martin L. King Blvd.
Las Vegas, Nevada 89106

Compared gkl/sam dlgl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 15032, Certificate 8712 is issued subject to the terms and conditions imposed in said Permit 15032, Certificate 8712 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permit 57449 and Permit 71292 shall not exceed 5.48 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 71292 is granted to provide water service to one lot described as Clark County Assessor's Parcel (APN) 163-36-106-011.
(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00168 cubic feet per second, **but not to exceed 1.0 acre-foot annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

April 28, 2008

Proof of the application of water to beneficial use shall be filed on or before:

May 28, 2008

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 28th day of April, A.D. 2005


State Engineer

Completion of work filed September 14, 1995 under 57449

Proof of beneficial use filed _____

Cultural map filed _____ N/A

Certificate No. _____ Issued _____

~~CANCELLED AUG 06 2009 BECAUSE OF
FAILURE OF APPLICANT TO COMPLY WITH THE
PROVISIONS OF PERMIT~~

~~Tony T. P.E. STATE ENGINEER
Can. Rescinded 6-4-2010~~